

## Temperature-dependent thermal conductivity in Mg-doped and undoped $\beta\text{-Ga}_2\text{O}_3$ bulk-crystals


M. Handweg, R. Mitdank, Z. Galazka, and S.F. Fischer

Semicond. Sci. Technol. **30** 024006 (2015).

Invited Article

### Short Abstract

Gallium oxide -  $\beta\text{-Ga}_2\text{O}_3$  – is one of the few conducting transparent oxides, yet only little is known concerning the thermal properties, especially the thermal conductivity  $\lambda$ . Here, the thermal conductivity is measured by applying the electrical  $3\omega$ -method on Czochralski-grown  $\beta\text{-Ga}_2\text{O}_3$  bulk crystals. The thermal conductivity increases for decreasing temperature while the phonon contribution of  $\lambda$  dominates over the electron contribution below room temperature. The observed function  $\lambda(T)$  agrees with phonon-phonon-Umklapp scattering, of which a detailed discussion for  $T < \theta_D$  (Debye temperature) is provided.



**Above.** The temperature dependent mean free path of phonons in the insulating Magnesium-doped  $\beta\text{-Ga}_2\text{O}_3$ . The solid line is the theoretical contribution for phonon-phonon-Umklapp-scattering and the dashed line shows additionally a contribution of a second scattering process with a constant mean free path of  $1.5 \mu\text{m}$ . The dotted line describes point-defect-scattering within the scope of Rayleigh scattering.